

JAN. 7. 2005 6:37PM

513 241 6234

RECEIVED
CENTRAL FAX CENTER

NO. 0252 P. 1

JAN 07 2005

WOOD, HERRON & EVANS, L.L.P.

BRUCE TITTEL
DONALD F. FREI
DAVID J. JOSEPHIC
DAVID S. STALLARD
J. ROBERT CHAMBERS
GREGORY J. LUNN
KURT L. GROSSMAN
CLEMENT H. LUKEN, JR.
THOMAS J. BURGER
GREGORY F. AHRENS
WAYNE L. JACOBS
KURT A. SUMME
KEVIN G. ROONEY
KEITH R. MAURT
THEODORE R. REMAKLUS
THOMAS W. HUMPHREY
SCOTT A. STINEBRUNER
DAVID H. BRINKMAN
BEVERLY A. LYMAN, Ph. D.

OF COUNSEL
JOHN D. POFFENBERGER
THOMAS W. FLYNN

2700 CAREW TOWER

441 VINE STREET

CINCINNATI, OHIO 45202-2917

TELEPHONE: 513-241-2324

FACSIMILE: 513-241-6234

WEBSITE: www.whopatent.com

PATENT, TRADEMARK, COPYRIGHT
AND UNFAIR COMPETITION LAW
AND RELATED LITIGATION

EDMUND P. WOOD 1923-1966
TRUMAN A. HERRON 1936-1978
EDWARD B. EVANS 1936-1971

JOSEPH R. JORDAN
C. RICHARD EBY
DAVID E. PRITCHARD

J. DWIGHT POFFENBERGER, JR.
KATHRYN E. SMITH
KRISTI L. DAVIDSON
P. ANDREW BLATT, Ph. D.
DAVID E. JEFFERIES
WILLIAM R. ALLEN, Ph. D.
JOHN PAUL DAVIS
DOUGLAS A. SCHOLER
BRETT A. SCHATZ
DAVID W. DORTON
SARAH OTTE GRABER
WESLEY L. STRICKLAND*
STEVEN W. BENINTENDI, Ph. D.
RANDALL S. JACKSON, JR.

*ADMITTED ONLY IN D.C. AND VA

TELECOPIER COVER SHEET

The information in this facsimile message is intended only for the use of the individual or entity to whom this fax is addressed. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, you are hereby notified that any dissemination, distribution or reproduction of this communication is strictly prohibited. If you have received this communication in error, please immediately notify us by telephone and return the original message to us at the above address via United States Postal Service. Thank you.

DATE: January 7, 2005

RE: Serial No. 09/990,130; Filed:
November 21, 2001; For:
Sterilizer Including Air Purging
System and Pressure Activated
Door Seal; Conf. No. 2318; Our
Ref.: MIDTF-230P2

TO: Ex. Krisanne Marie Jastrzab
Group Art Unit 1744

FROM: David W. Dorton

FAX NO.: 703-872-9306

TOTAL PAGES: 26
(including cover sheet)

If transmission is interrupted or of poor quality, please notify us immediately by calling (513) 241-2324 and ask for Melanie. OUR FAX NUMBER IS (513) 421-7269.

MESSAGE/COMMENTS

OFFICIAL

PLEASE DELIVER TO EXAMINER JASTRZAB IMMEDIATELY

Enclosure: Amendment (25 pgs.)

JAN. 7. 2005 6:37PM

513 241 6234


RECEIVED
CENTRAL FAX CENTER

NO. 0252 P. 2

JAN 07 2005

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this correspondence is being transmitted via facsimile to Examiner Krisanne Marie Jastrzab in Art Unit 1744 (Fax No. 703-872-9306) on January 7, 2005


David W. Dorton, Reg. No. 51,625

JANUARY 7, 2005
Date

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Edward J. Florkey et al.
Serial No.: 09/990,130
Filed: November 21, 2001
Examiner: Krisanne Marie Jastrzab
Group Art Unit: 1744
Confirmation No.: 2318
Title: STERILIZER INCLUDING AIR PURGING SYSTEM AND
PRESSURE ACTIVATED DOOR SEAL
Atty Docket No.: MIDTF-230P2

Cincinnati, Ohio 45202

January 7, 2005

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

AMENDMENT

In response to the Office Action mailed October 8, 2004, please
amend the above-identified application as follows:

Amendments to the specification begin on page 2 of this paper.

Amendments to the claims begin on page 3 of this paper.

Remarks begin on page 16 of this paper.

-1-